



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT					
Lab Inward No. : SATPL/25-26/10/MAA/115Ao			Date of Sampling : 29-30/10/2025		
Client Name : AKX ENVICONS Pvt. Ltd 301A, Eagleridge, Hiranandani Estate, Ghod Bunder Road, Thane (W), 400607			Start of Analysis : 30/10/2025		
			End of Analysis : 03/11/2025		
			Report Date : 04/11/2025		
			Sample Drawn By : SATPL Team on 29-30/10/2025		
Order / Reference: As per TRF dated- 30/10/2025					
Monitoring For : Ambient Air Monitoring					
Sampling Procedure : As per IS 5182					
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 18.11.2009					
Sampling Location : <i>Mulund</i>					
Lateral Distance : 10.0 meter			Duration : 24 Hrs.		
Receptor Height : 3.0 meter			Time : 10:30 pm to 10:30 pm		
Temperature (°C) : 31			Humidity(%) : 64		
RESULTS					
Sr. No.	Parameters	Results	Limits	Unit	Reference Method
1	Sulphur Dioxide (SO ₂)	16.21	≤ 80	µg/m ³	IS 5182(Part-2);2001 R2022
2	Nitrogen Dioxide (NO ₂)	28.97	≤ 80	µg/m ³	IS 5182(Part-6);2006 R2022
3	Particulate Matter PM ₁₀	67.41	≤ 100	µg/m ³	IS 5182 (Part 23):2006 R 2022
4	Particulate Matter PM _{2.5}	35.20	≤ 60	µg/m ³	IS 5182 (Part 24):2019
5	Carbon Monoxide (CO)	0.39	≤ 04(1 hr.)	mg/m ³	IS 5182(Part-10):1999 R2019
REMARK: Reference to above mentioned monitoring report all the parameters are within the limits					
<i>Disclaimer: Information supplied by customers represented in Italic font.'</i>					
For Shreeji Aqua Treatment Pvt.Ltd.			For Shreeji Aqua Treatment Pvt.Ltd.		
 Quality Manager Authorized Signatory				 Managing Director Authorized Signatory	

-----End of Test Report-----

The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Moprewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreeji aqua.com Web: www.shreeji aqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreeji aqua.com

● MUMBAI ● PUNE ● VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

TEST REPORT

Lab Inward No. : SATPL/25-26/10/MNM/115Bd	Date of Sampling : 29-30/10/2025
Client Name : AKX ENVICONS Pvt. Ltd 301A, Eagleridge, Hiranandani Estate, Ghod Bunder Road, Thane (W), 400607	Start of Analysis : 30/10/2025 End of Analysis : 03/11/2025 Report Date : 04/11/2025 Sample Drawn By : SATPL Team on 29-30/10/2025

Order / Reference: As Per TRF Dated 30/10/2025

Monitoring For : Noise Monitoring

Sampling Procedure : As Per CPCB Guideline

Limits : As per Ministry of Environment and Forest Notification Dated 11/01/2010

Sr. No.	Location/Activity	Noise Level Meter Reading	
		Average	
		Day	Night
1.	Mulund	54.5	46.1

Remark: Reference to above mentioned monitoring report for all locations are within the prescribed limits.

Disclaimer: *Information is supplied by customers represented in italic font*

Category Area/Zone	Limits dB(A)	
	Day Time (6.00Hrs to 22.00 Hrs)	Night Time (22.00Hrs to 6.00Hrs)
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

DETAILS OF INSTRUMENT USED

Instrument Used	Sound Level Meter
Date of Calibration	19/03/2025
Validity	18/03/2026

For Shreeji Aqua Treatment Pvt.Ltd.


Quality Manager
Authorized Signatory



For Shreeji Aqua Treatment Pvt.Ltd.


Managing Director
Authorized Signatory

-----End of Test Reports-----

The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

04/11/2025

Sample / Report No.	SATPL/25-26/10/MS/115Z		
Name of Customer	AKX ENVICONS Pvt. Ltd		
Address of Customer	301A, Eagleridge, Hiranandani Estate, Ghod Bunder Road, Thane (W), 400607		
Order / Reference	As per TRF Dated 30/10/2025		
Sample declaration as provided by customer :			
Nature of Sample	Soil Sample		
Location	Mulund		
Batch No.	NA		
Sample Drawn by	Client on 30/10/2025	Sample Received On	30/10/2025
Start of Analysis	30/10/2025	End of Analysis	03/11/2025
Sample Container	Plastic Bag	Sample Quantity	01 kg.
Sampling Procedure	NA		
Limits	NA		

Chemical Testing

Sr No.	Parameters	Results	Limits	Unit	Method
1	Organic Content	3.15	NA	%	IS 2720 (Part 22): 1972, RA: 2020
2	Potassium	31.58	NA	mg/kg	IS 9497: 1980
3	PH	8.19	NA	--	IS :2720(Part - 26):1987 R 2021
4	Sodium (as Na)	38.95	NA	mg/kg	IS 9497: 1980
5	Copper (as Cu)	2.45	NA	mg/kg	EPA 7000 B
6	Electric conductivity	594.0	NA	µs/cm	IS: 14767: 2000 R 2021
7	Zinc (as Zn)	46.25	NA	mg/kg	EPA 7000 B
8	Colour	Brown	NA	--	By Visual
9	Total Phosphate	15.86	NA	mg/100gm	Lab Manual on Agriculture Method
10	Total Kjeldahl Nitrogen	0.285	NA	%	IS 14684: 1999, RA: 2019
11	Texture	Loamy	NA	--	Qualitative Method
12	Calcium	71.54	NA	mg/100gm	IS 2720 (Part 23) 2020
13	Bulk Density	1.81	NA	gm/cm ³	IS:2720 (Part 8) - 1983 / RA:2020
14	Magnesium	48.79	NA	mg/100gm	IS 5949: 1990

Note: NA-Not Applicable.

Disclaimer-'Information supplied by customers represented in italic font.'

For Shreeji Aqua Treatment Pvt.Ltd.

For Shreeji Aqua Treatment Pvt.Ltd.


Quality Manager
Authorized Signatory




Managing Director
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 1 of 2

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 **Email:** info@shreejiaqua.com **Web:** www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com

● MUMBAI ● PUNE ● VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT					
					04/11/2025
Sample / Report No.	SATPL/25-26/10/MS/115Z				
Name of Customer	AKX ENVICONS Pvt. Ltd				
Address of Customer	301A, Eagleridge, Hiranandani Estate, Ghod Bunder Road, Thane (W), 400607				
Order / Reference	As per TRF Dated 30/10/2025				
Sample declaration as provided by customer :					
Nature of Sample	Soil Sample				
Location	Mulund				
Batch No.	NA				
Sample Drawn by	Client on 30/10/2025	Sample Received On	30/10/2025		
Start of Analysis	30/10/2025	End of Analysis	03/11/2025		
Sample Container	Plastic Bag	Sample Quantity	01 kg.		
Sampling Procedure	NA				
Limits	NA				
Chemical Testing					
Sr No.	Parameters	Results	Limits	Unit	Method
1	Iron	2074.54	NA	mg/kg	EPA 7000 B
2	Chloride(CI-)	76.25	NA	mg/kg	BS 1377(Part 3)2003
3	Lead (as Pb)	<50.0	NA	mg/kg	EPA 7000 B
4	Water Retaining capacity	38.	NA	%	IS 14765:2000
5	Sulphate	99.57	NA	mg/kg	IS 2720 (Part 27) 1977: RA 2020
Note: NA-Not Applicable. Disclaimer-'Information supplied by customers represented in italic font.' For Shreeji Aqua Treatment Pvt.Ltd.					
 Quality Manager Authorized Signatory				For Shreeji Aqua Treatment Pvt.Ltd.  Managing Director Authorized Signatory	

-----End of Test Report-----

The results relate to sample tested.

Page 2 of 2

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com

● MUMBAI ● PUNE ● VADODARA

Innovative Environmental Solutions Under One Roof